Accurate Test Labs
1305 NW 65th Pl
Fort Lauderdale, FL 33309

(786) 599-1806
http://accuratetestlab.com
Lic# 2026-R-217916€

Certificate of Analysis

Tesamorelin 10mg

2609AFL1622.5559 | ATL-39291

PHOTO



SAMPLE INFO


Lot #	0905	Matrix	Peptide
Client	Renew Phase	Type	Powder
Received	09/09/2026	Storage Cond.	Refrigerated (2°C to 8°C)
Reported	09/11/2026	Intended Use	Research Use Only
Appearance	White powder	Labeled Content	10

SUMMARY

99.34%
Purity

Confirmed
Identity

CHROMATOGRAM



PEPTIDES

Complete

Date Tested: 09/10/2026

Compound	mg/unit	Status
Tesamorelin	9.84	Tested
Total	**9.84**	

COA-12 Peptides Rev. 2

Lise Berthe-Laurent - Laboratory Director 09/11/2026

Abbreviations: LOQ = Limit of Quantification, LOD = Limit of Detection, ND = Not Detected, NT = Not Tested, ppm = Parts per Million, ppb = Parts per Billion, CFU/g = Colony Forming Units per Gram.

This report shall not be reproduced without written approval of Accurate Test Labs and results are confidential unless disclosure is explicitly authorized. Results relate only to the samples and batches tested. Test results are for informational purposes only and Accurate Test Labs makes no claims as to the safety or risks associated with this product. Pass/Fail results reflect compliance with applicable federal, state, tribal and local regulations unless otherwise specified. The measurement of uncertainty is not included unless explicitly required by law and is available upon request.

Powered by confident